



solar mounting solutions

•

Technical Data

SP-S-021 - Hooks for Tile Roof

> description

a variety of hooks to be secured on the timber underneath the tiles

> ref no.

SP-S-021

> technical specs

material specifcations

stainless steel 316 / 304 (body) stainless steel 316 / 304 (bolting hardwares)

dimensions

| width | = | xx mm |
|-----------|---|-------|
| height | = | xx mm |
| thickness | = | xx mm |

applications and features

| clamping range | tile roofs | pattern | fixed type |
|-------------------|--------------|--------------|------------|
| tightening torque | xx Nm | adjust range | N.A |
| customizability | upon request | other | N.A |
| section property | upon request | | |



Jiangyin Pvsolver Photovoltaic Engineering Co., Ltd No. 65 Wangtianwei Lane, Jishan Village Zhouzhuang Town, Jiangyin City, China



PVSOLVER

solar mounting solutions

Technical Data

SP-S-022 - Hooks for Tile Roof

> description

a variety of hooks to be secured on the timber underneath the tiles

> ref no.

SP-S-022

> technical specs

material specifcations stainless steel 316 / 304 (body) stainless steel 316 / 304 (bolting hardwares)

dimensions

| width | = | 126 mm |
|-----------|---|--------|
| height | = | 155 mm |
| thickness | = | 4/5 mm |

applications and features

| clamping range | tile roofs | pattern | fixed type |
|-------------------|--------------|--------------|------------|
| tightening torque | xx Nm | adjust range | N.A |
| customizability | upon request | other | N.A |
| section property | upon request | | |

180

 \bigcirc \bigcirc \bigcirc \bigcirc \bigcirc

0 0 0 0 0 0

30


 \bigcirc

0



Jiangyin Pvsolver Photovoltaic Engineering Co., Ltd No. 65 Wangtianwei Lane, Jishan Village Zhouzhuang Town, Jiangyin City, China







Technical Data

SP-S-024 - Hooks for Tile Roof

> description

a variety of hooks to be secured on the timber underneath the tiles

> ref no.

SP-S-024


> technical specs

material specifcations


stainless steel 316 / 304 (body) stainless steel 316 / 304 (bolting hardwares)

dimensions

| width | = | 166 mm |
|-----------|---|--------|
| height | = | 155 mm |
| thickness | = | 5 mm |



166



applications and features

| clamping range | tile roofs | pattern | adjustable type |
|-------------------|--------------|--------------|-----------------|
| tightening torque | xx Nm | adjust range | xx - xx mm |
| customizability | upon request | other | N.A |
| section property | upon request | | |
| | | | |



Jiangyin Pvsolver Photovoltaic Engineering Co., Ltd No. 65 Wangtianwei Lane, Jishan Village Zhouzhuang Town, Jiangyin City, China







Technical Data

SP-S-078 - Hooks for Tile Roof

> description

a variety of hooks to be secured on the timber underneath the tiles

> ref no.

SP-S-078

> technical specs

material specifcations

stainless steel 316 / 304 (body) stainless steel 316 / 304 (bolting hardwares)

dimensions

| width | = | xx mm |
|-----------|---|-------|
| height | = | xx mm |
| thickness | = | xx mm |

applications and features

| clamping range | tile roofs | pattern | adjustable type |
|-------------------|--------------|----------------|-----------------|
| tightening torque | xx Nm | adjust range H | xx - xx mm |
| customizability | upon request | adjust range V | xx - xx mm |
| section property | upon request | | |
| | | | |



Jiangyin Pvsolver Photovoltaic Engineering Co., Ltd No. 65 Wangtianwei Lane, Jishan Village Zhouzhuang Town, Jiangyin City, China

